

FORM 1449*

INFORMATION DISCLOSURE STATEMENT

IN AN APPLICATION

(Use several sheets if necessary)

Docket Number:

11669.26US03

Application Number:

09/195,368

Applicant: ASHKENAZI ET AL.

Filing Date: 11/18/1998

Group Art Unit: 1643

U.S. PATENT DOCUMENTS

EXAMINER INITIAL	DOCUMENT NO.	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE

FOREIGN PATENT DOCUMENTS

	DOCUMENT NO.	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
						YES	NO
SM ↓	307,247	3/15/89	EP				
	417,563	3/20/91	EP				
	WO 97/01633	1/16/97	PCT				
	WO 98/06842	2/19/98	PCT				
	WO 98/07880	2/26/98	PCT				

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

SM ↓	*	<u>Baculovirus Expression Vectors: A Laboratory Manual</u> , O'Reilley et al., Oxford, Oxford University Press, (1994).
	*	<u>Molecular Cloning: A Laboratory Manual</u> , Sambrook et al., New York, Cold Spring Harbor Laboratory Press, (1989).
	*	<u>Monoclonal Antibodies: Principles and Practice</u> , Goding, Academic Press, (1986), pp. 59-103.
		Aggarwal, B.B. et al., "Tumor Necrosis Factors: Development During the Last Decade", <i>Eur. Cytokine Netw.</i> , 7(2):93-124 (April 1996-June 1996).
		Amakawa et al., "The Hodgkin Disease Antigen CD30 is Crucial for Antigen Induced Death of Developing T Cells", Cold Spring Harbor Laboratory Symposium on Programmed Cell Death, Abstr. No. 10 (1995).
		Armitage, R.J. et al., "Molecular and Biological Characterization of a Murine Ligand for CD40", <i>Nature</i> , 357(6373):80-82 (May 7, 1992).
		Ashkenazi, A. et al., "Protection against endotoxic shock by a tumor necrosis factor receptor immunoadhesin", <i>Proc. Natl. Acad. Sci. U S A</i> , 88(23):10535-10539 (December 1, 1991).
		Baeuerle, P.A. et al., "Function and activation of NF-kappa B in the immune system", <i>Annu. Rev. Immunol.</i> , 12:141-179 (1994).
		Baldwin A.S., Jr., "The NF-kappa B and I kappa B Proteins: New Discoveries and Insights", <i>Annu. Rev. Immunol.</i> , 14:649-683 (1996).
		Banner, D.W. et al., "Crystal Structure of the Soluble Human 55 kd TNF Receptor-Human TNF Beta Complex: Implications for TNF Receptor Activation", <i>Cell</i> , 73(3):431-445 (May 7, 1993).
		Barr, P.J. et al., "Apoptosis and Its Role in Human Disease", <i>Biotechnology (NY)</i> , 12(5):487-493 (May 1994).
		Baum P.R., et al., "Molecular characterization of murine and human OX40/OX40 ligand systems: identification of a human OX40 ligand as the HTLV-1-regulated protein gp34", <i>EMBO J.</i> , 13(17):3992-4001. (September 1, 1994).
		Bodmer, J.L. et al., "TRAMP, a Novel Apoptosis-Mediating Receptor with Sequence Homology to Tumor Necrosis Factor Receptor 1 and Fas(Apo-1/CD95)", <i>Immunity</i> , 6(1):79-88 (January 1997).
		Boldin, M.P. et al., "Involvement of MACH, a Novel MORT1/FADD-Interacting Protease, in Fas/APO-1- and TNF Receptor-Induced Cell Death", <i>Cell</i> , 85(6):803-815 (June 14, 1996).
		Boldin, M.P. et al., "Self-Association of the "Death Domains" of the p55 Tumor Necrosis Factor (TNF) Receptor and Fas/APO1 Prompts Signaling for TNF and Fas/APO1 Effects", <i>J. Biol. Chem.</i> , 270(1):387-391 (January 6, 1995).
		Brockhaus, M. et al., "Identification of Two Types of Tumor Necrosis Factor Receptors on Human Cell Lines by Monoclonal Antibodies", <i>Proc. Natl. Acad. Sci.</i> , 87(8):3127-3131 (April 1990).

EXAMINER

DATE CONSIDERED

6/5/00

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.

Date Mailed: JULY 13, 1999

Sheet 2 of 5

FORM 1449*

INFORMATION DISCLOSURE STATEMENT

IN AN APPLICATION

(Use several sheets if necessary)

Docket Number:

11669.26US03

Application Number:

09/195,368

Applicant: ASHKENAZI ET AL.

Filing Date: 11/18/1998

Group Art Unit: 1643

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

SM	Brojatsch, J. et al., "CAR1, a TNFR-Related Protein, is a Cellular Receptor for Cytopathic Avian Leukosis-Sarcoma Viruses and Mediates Apoptosis", <i>Cell</i> , 87(5):845-855 (November 29, 1996).
	Browning, J.L. et al., "Lymphotoxin Beta, a Novel Member of the TNF Family That Forms a Heteromeric Complex with Lymphotoxin on the Cell Surface", <i>Cell</i> , 72(6):847-856 (March 26, 1993).
	Chinnaiyan, A.M. et al., "FADD, a Novel Death Domain-Containing Protein, Interacts With the Death Domain of Fas and Initiates Apoptosis", <i>Cell</i> , 81(4):505-512 (May 19, 1995).
	Chinnaiyan, A.M. et al., "FADD/MORT1 is a Common Mediator of CD95 (Fas/APO-1) and Tumor Necrosis Factor Receptor-Induced Apoptosis", <i>J. Biol. Chem.</i> , 271(9):4961-4965 (March 1, 1996).
	Chinnaiyan, A.M. et al., "Interaction of CED-4 With CED-3 and CED-9: A Molecular Framework for Cell Death", <i>Science</i> , 275(5303):1122-1126 (February 21, 1997).
	Chinnaiyan, A.M. et al., "Signal Transduction by DR3, a Death Domain-Containing Receptor Related to TNFR-1 and CD95", <i>Science</i> , 274(5289):990-992 (November 8, 1996).
	Chinnaiyan, A.M. et al., "The Cell-Death Machine", <i>Current Biology</i> , 6(5):555-562 (May 1, 1996).
	Cleveland, J.L. et al., "Contenders in FasL/TNF Death Signaling", <i>Cell</i> , 81(4):479-482 (May 19, 1995).
	Dealtry G.B., et al., "DNA fragmentation and cytotoxicity caused by tumor necrosis factor is enhanced by interferon-gamma", <i>Eur. J. Immunol.</i> , 17(5):689-693 (May, 1987).
	Degli-Esposti M.A., et al., "Cloning and characterization of TRAIL-R3, a novel member of the emerging TRAIL receptor family", <i>J. Exp. Med.</i> , 186(7):1165-1170 (October 6, 1997).
	Eck, M.J. et al., "The Structure of Tumor Necrosis Factor-Alpha at 2.6 A Resolution. Implications for Receptor Binding", <i>J. Biol. Chem.</i> , 264(29):17595-17605 (October 15, 1989).
	Enari, M. et al., "Involvement of an ICE-Like Protease in Fas-Mediated Apoptosis", <i>Nature</i> , 375(6526):78-81 (May 4, 1995).
	Fraser, A. et al., "A License to Kill", <i>Cell</i> , 85(6):781-784 (June 14, 1996).
	Gelb, B.D. et al., "Pycnodysostosis: Refined Linkage and Radiation Hybrid Analyses Reduce the Critical Region to 2 cM at 1q21 and Map Two Candidate Genes", <i>Hum. Genet.</i> , 98(2):141-144 (August 1996).
	Goodwin, R.G. et al., "Molecular Cloning and Expression of the Type 1 and Type 2 Murine Receptors for Tumor Necrosis Factor", <i>Mol. Cell. Biol.</i> , 11(6):3020-3026 (June 1991).
	Gruss, H.J., "Molecular, Structural, and Biological Characteristics of the Tumor Necrosis Factor Ligand Superfamily", <i>J. Clin. Lab. Res.</i> , 26(3):143-159 (1996).
	Gruss, H.J. et al., "Tumor Necrosis Factor Ligand Superfamily: Involvement in the Pathology of Malignant Lymphomas", <i>Blood</i> , 85(12):3378-3404 (June 15, 1995).
	Hale, C.G. et al., "Demonstration of In Vitro and In Vivo Efficacy of Two Biologically Active Human Soluble TNF Receptors Expressed in E. Coli", <i>J. Cell Biochem. (Supplement 15F)</i> , p. 113 (P424) (1991).
	Hohmann, H.P. et al., "Two Different Cell Types Have Different Major Receptors for Human Tumor Necrosis Factor (TNF Alpha)", <i>J. Biol. Chem.</i> , 264(25):14927-14934 (September 5, 1989).
	Hsu, H. et al., "TRADD-TRAF2 and TRADD-FADD Interactions Define Two Distinct TNF Receptor 1 Signal Transduction Pathways", <i>Cell</i> , 84(2):299-308 (January 26, 1996).
	Itoh, N. et al., "The Polypeptide Encoded by the cDNA for Human Cell Surface Antigen Fas Can Mediate Apoptosis", <i>Cell</i> , 66(2):233-243 (July 26, 1991).
	Johnson, D. et al., "Expression and Structure of Human NGF Receptor", <i>Cell</i> , 47(4):545-554 (November 21, 1986).
	Kitson, J. et al., "A Death-Domain-Containing Receptor that Mediates Apoptosis", <i>Nature</i> , 384(6607):372-375 (November 28, 1996).
	Klein, R.D. et al., "Selection for genes encoding secreted proteins and receptors", <i>Proc. Natl. Acad. Sci. U.S.A.</i> , 93(14):7108-7113 (July 9, 1996).

EXAMINER

DATE CONSIDERED

6/6/00


EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.

FORM 1449* INFORMATION DISCLOSURE STATEMENT IN AN APPLICATION (Use several sheets if necessary)	Docket Number: 11669.26US03	Application Number: 09/195,368
	Applicant: ASHKENAZI ET AL.	
	Filing Date: 11/18/1998	Group Art Unit: 1643

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)


SM	Kohn, T. et al., "A Second Tumor Necrosis Factor Receptor Gene Product Can Shed a Naturally Occurring Tumor Necrosis Factor Inhibitor", <i>Proc. Natl. Acad. Sci. U.S.A.</i> , 87(21):8331-8335 (November 1990).
	Kozak, M., "An analysis of vertebrate mRNA sequences: intimations of translational control", <i>J. Cell Biol.</i> , 115:887-903 (1991).
	Krammer, P.H. et al., "Regulation of Apoptosis in the Immune System", <i>Curr. Opin. Immunol.</i> , 6(2):279-289 (April 1994).
	Lewis, M. et al., "Cloning and Expression of cDNAs for Two Distinct Murine Tumor Necrosis Factor Receptors Demonstrate One Receptor is Species Specific", <i>Proc. Natl. Acad. Sci. U.S.A.</i> , 88(7):2830-2834 (April 1, 1991).
	Lewit-Bentley A., et al., "Structure of tumour necrosis factor by X-ray solution scattering and preliminary studies by single crystal X-ray diffraction", <i>J. Mol. Biol.</i> , 199(2):389-392 (January 20, 1988).
	Loetscher, H. et al., "Molecular Cloning and Expression of the Human 55 kd Tumor Necrosis Factor Receptor", <i>Cell</i> , 61(2):351-359 (April 20, 1990).
	Mackay, F. et al., "Differential Responses of Fibroblasts from Wild-Type and TNF-R55-Deficient Mice to Mouse and Human TNF-Alpha Activation", <i>J. Immunol.</i> , 153(11):5274-5284 (December 1, 1994).
	MacFarlane M., et al., "Identification and molecular cloning of two novel receptors for the cytotoxic ligand TRAIL", <i>J. Biol. Chem.</i> , 272(41):25417-25420 (October 10, 1997).
	Malinin N.L., et al., "MAP3K-related kinase involved in NF-kappaB induction by TNF, CD95 and IL-1", <i>Nature</i> , 385(6616):540-544 (February 6, 1997).
	Mallet, S. et al., "Characterization of the MRC OX40 Antigen of Activated CD4 Positive T Lymphocytes—A Molecule Related to Nerve Growth Factor Receptor", <i>EMBO J.</i> , 9(4):1063-1068 (April 1990).
	Marsters, S.A. et al., "Activation of Apoptosis by Apo-2 Ligand is Independent of FADD But Blocked by CrmA", <i>Curr. Biol.</i> , 6(6):750-752 (June 1, 1996).
	Marsters, S.A. et al., "Apo-3, a New Member of the Tumor Necrosis Factor Receptor Family, Contains a Death Domain and Activates Apoptosis and NF-kappa B", <i>Curr. Biol.</i> , 6(12):1669-1676 (December 1, 1996).
	Marsters, S.A. et al., "Herpesvirus Entry Mediator, a Member of the Tumor Necrosis Factor Receptor (TNFR) Family, Interacts With Members of the TNFR-Associated Factor Family and Activates the Transcription Factors NF-kappaB and AP-1", <i>J. Biol. Chem.</i> , 272(22):14029-14032 (May 30, 1997).
	Marsters, S.A. et al., "Interferon Gamma Signals via a High-Affinity Multisubunit Receptor Complex that Contains Two Types of Polypeptide Chain", <i>Proc. Natl. Acad. Sci. U.S.A.</i> , 92(12):5401-5405 (June 6, 1995).
	Montgomery, R.I. et al., "Herpes Simplex Virus-1 Entry Into Cells Mediated by a Novel Member of the TNF/NGF Receptor Family", <i>Cell</i> , 87(3):427-436 (November 1, 1996).
	Muzio, M. et al., "FLICE, a Novel FADD-Homologous ICE/CED-3-Like Protease, is Recruited to the CD95 (Fas/APO-1) Death-Inducing Signaling Complex", <i>Cell</i> , 85(6):817-827 (June 14, 1996).
	Nagata, S., "Apoptosis by Death Factor", <i>Cell</i> , 88(3):355-365 (February 7, 1997).
	Nagata, S. et al., "The Fas Death Factor", <i>Science</i> , 267(5203):1449-1456 (March 10, 1995).
	Nophar, Y. et al., "Soluble Forms of Tumor Necrosis Factor Receptors (TNF-Rs). The cDNA for the Type I TNF-R, Cloned Using Amino Acid Sequence Data of its Soluble Form, Encodes Both the Cell Surface and a Soluble Form of the Receptor", <i>EMBO J.</i> , 9(10):3269-3278 (October 1990).
	Nocentini G., et al., "A new member of the tumor necrosis factor/nerve growth factor receptor family inhibits T cell receptor-induced apoptosis", <i>Proc. Natl. Acad. Sci. U.S.A.</i> , 94(12):6216-6221 (June 10, 1997).
	Pan, G. et al., "An Antagonist Decoy Receptor and a Death Domain-Containing Receptor for TRAIL", <i>Science</i> , 277(5327):815-818 (August 8, 1997).
	Pan, G. et al., "The Receptor for the Cytotoxic Ligand TRAIL", <i>Science</i> , 276(5309):111-113 (April 4, 1997).
	Peetre, C. et al., "A Tumor Necrosis Factor Binding Protein is Present in Human Biological Fluids", <i>Eur. J. Haematol.</i> , 41(5):414-419 (November 1988).


EXAMINER	DATE CONSIDERED 6/5/00
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.	

FORM 1449* INFORMATION DISCLOSURE STATEMENT IN AN APPLICATION (Use several sheets if necessary)		Docket Number: 1669.26US03	Application Number: 09/195,368
		Applicant: ASHKENAZI ET AL.	
		Filing Date: 11/18/1998	Group Art Unit: 1643

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)


SW	Pitti, R.M. et al., "Induction of Apoptosis by Apo-2 Ligand, a New Member of the Tumor Necrosis Factor Cytokine Family", <i>J. Biol. Chem.</i> , 271(22):12687-12690 (May 31, 1996).
	Radeke, M.J. et al., "Gene Transfer and Molecular Cloning of the Rat Nerve Growth Factor Receptor", <i>Nature</i> , 325(6105):593-597 (February 12-18, 1987).
	Raff, M.C., "Social Controls on Cell Survival and Cell Death", <i>Nature</i> , 356(6368):397-400 (April 2, 1992).
	Ray, C.A. et al., "Viral Inhibition of Inflammation: Cowpox Virus Encodes an Inhibitor of the Interleukin-1 Beta Converting Enzyme", <i>Cell</i> , 69(4):597-604 (May 15, 1992).
	Ruppert, S. et al., "Cloning and Expression of Human TAFII250: A TBP-Associated Factor Implicated in Cell-Cycle Regulation", <i>Nature</i> , 362(6416):175-179 (March 11, 1993).
	Sachs, L. et al., "Control of Programmed Cell Death in Normal and Leukemic Cells: New Implications for Therapy", <i>Blood</i> , 82(1):15-21 (July 1, 1993).
	Schall, T.J. et al., "Molecular Cloning and Expression of a Receptor for Human Tumor Necrosis Factor", <i>Cell</i> , 61(2):361-370 (April 20, 1990).
	Schmid, D.S. et al., "DNA Fragmentation: Manifestation of Target Cell Destruction Mediated by Cytotoxic T-Cell Lines, Lymphotoxin-Secreting Helper T-Cell Clones, and Cell-Free Lymphotoxin-Containing Supernatant", <i>Proc. Natl. Acad. Sci. U.S.A.</i> , 83(6):1881-1885 (March 1986).
	Seckinger, P. et al., "Purification and Biologic Characterization of a Specific Tumor Necrosis Factor Alpha Inhibitor", <i>J. Biol. Chem.</i> , 264(20):11966-11973 (July 15, 1989).
	Sheridan, J.P. et al., "Control of TRAIL-Induced Apoptosis by a Family of Signaling and Decoy Receptors", <i>Science</i> , 277(5327):818-821 (August 8, 1997).
	Simonet, W.S. et al., "Osteoprotegerin: A Novel Secreted Protein Involved in the Regulation of Bone Density", <i>Cell</i> , 89(2):309-319 (April 18, 1997).
	Smith, C.A. et al., "A Receptor for Tumor Necrosis Factor Defines an Unusual Family of Cellular and Viral Proteins", <i>Science</i> , 248(4958):1019-1023 (May 25, 1990).
	Smith, C.A. et al., "T2 Open Reading Frame from the Shope Fibroma Virus Encodes a Soluble Form of the TNF Receptor", <i>Biochem. Biophys. Res. Commun.</i> , 176(1):335-342 (April 15, 1991).
	Smith D.H., et al., "Blocking of HIV-1 infectivity by a soluble, secreted form of the CD4 antigen", <i>Science</i> , 238(4834):1704-1707 (December 18, 1987).
	Sompayrac, L.M. et al., "Efficient Infection of Monkey Cells with DNA of Simian Virus 40", <i>Proc. Natl. Acad. Sci. U.S.A.</i> , 78(12):7575-7578 (December 1981).
	Stamenkovic, I. et al., "A B-Lymphocyte Activation Molecule Related to the Nerve Growth Factor Receptor and Induced by Cytokines in Carcinomas", <i>EMBO J.</i> , 8(5):1403-1410 (May 1989).
	Steller, H., "Mechanisms and Genes of Cellular Suicide", <i>Science</i> , 267(5203):1445-1449 (March 10, 1995).
	Takahashi T., et al., "Human Fas ligand: gene structure, chromosomal location and species specificity", <i>Int. Immunol.</i> , 6(10):1567-1574 (October 1994).
	Takao, S. et al., "Novel DNA Polymorphism in the Mouse Tumor Necrosis Factor Receptors Type 1 and Type 2", <i>Immunogenetics</i> , 37(3):199-203 (1993).
J	Tartaglia, L.A. et al., "A Novel Domain Within the 55 kd TNF Receptor Signals Cell Death", <i>Cell</i> , 74(5):845-853 (September 10, 1993).
	Tewari, M. et al., "Fas- and Tumor Necrosis Factor-Induced Apoptosis is Inhibited by the Poxvirus crmA Gene Product", <i>J. Biol. Chem.</i> , 270(7):3255-3260 (Feb. 17, 1995).
	Tewari, M. et al., "Recent Advances in Tumor Necrosis Factor and CD40 Signaling", <i>Curr. Opin. Genet. Dev.</i> , 6(1):39-44 (February 1996).
	Tewari, M. et al., "Yama/CPP32 Beta, a Mammalian Homolog of CED-3, is a CrmA-Inhibitable Protease that Cleaves the Death Substrate Poly(ADP-Ribose) Polymerase", <i>Cell</i> , 81(5):801-809 (June 2, 1995).

EXAMINER 	DATE CONSIDERED 6/5/00
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.	

FORM 1449* INFORMATION DISCLOSURE STATEMENT IN AN APPLICATION (Use several sheets if necessary)		Docket Number:	Application Number:
		11669.26US03	09/195,368
		Applicant: ASHKENAZI ET AL.	
		Filing Date: 11/18/1998	Group Art Unit: 1643

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

SUM		Thimmappaya, B. et al., "Adenovirus VAI RNA is Required for Efficient Translation of Viral mRNAs at Late Times After Infection", <i>Cell</i> , 31(3 Pt 2):543-551 (December 1982).
		Thompson, C.B., "Apoptosis in the Pathogenesis and Treatment of Disease", <i>Science</i> , 267(5203):1456-1462 (March 10, 1995).
		Upton, C. et al., "Myxoma Virus Expresses a Secreted Protein with Homology to the Tumor Necrosis Factor Receptor Gene Family that Contributes to Viral Virulence", <i>Virology</i> , 184(1):370-382 (September 1991).
		Upton, C. et al., "Tumorigenic Poxviruses: Genomic Organization and DNA Sequence of the Telomeric Region of the Shope Fibroma Virus Genome", <i>Virology</i> , 160(1):20-30 (September 1987).
		Verma, I.M. et al., "Rel/NF-Kappa B/I Kappa B Family: Intimate Tales of Association and Dissociation", <i>Genes Dev.</i> , 9(22):2723-2735 (November 15, 1995).
		Von Bulow G.U., "NF-AT activation induced by a CAML-interacting member of the tumor necrosis factor receptor superfamily", <i>Science</i> , 278(5335):138-141 (October 3, 1997).
		Walczak H., et al., "TRAIL-R2: a novel apoptosis-mediating receptor for TRAIL", <i>EMBO J.</i> , 16(17):5386-5397 (September 1, 1997).
		Wang et al., "Ich-1, an Ice/ced-3-Related Gene, Encodes Both Positive and Negative Regulators of Programmed Cell Death", <i>Cell</i> , 78:739-750 (September 9, 1994).
		Watanabe-Fukunaga, R. et al., "Lymphoproliferation Disorder in Mice Explained by Defects in Fas Antigen that Mediates Apoptosis", <i>Nature</i> , 356(6367):314-317 (March 26, 1992).
		Welcher, A.A. et al., "Nerve Growth Factor Binding Domain of the Nerve Growth Factor Receptor", <i>Proc. Natl. Acad. Sci. U.S.A.</i> , 88(1):159-163 (January 1, 1991).
		Wiley, S.R. et al., "Identification and Characterization of a New Member of the TNF Family that Induces Apoptosis", <i>Immunity</i> , 3(6):673-682 (December 1995).
		Wong B.R., et al., "TRANSE is a novel ligand of the tumor necrosis factor receptor family that activates c-Jun N-terminal kinase in T cells", <i>J. Biol. Chem.</i> , 272(40):25190-25194 (October 3, 1997).
		Yan, H. et al., "Disruption of Cysteine-Rich Repeats of the p75 Nerve Growth Factor Receptor Leads to Loss of Ligand Binding", <i>J. Biol. Chem.</i> , 266(18):12099-12104 (June 25, 1991).
		Yang R.B., et al., "Toll-like receptor-2 mediates lipopolysaccharide-induced cellular signaling", <i>Nature</i> , 395(6699):284-288 (September 17, 1998).
		Yonehara, S. et al., "A Cell-Killing Monoclonal Antibody (Anti-Fas) to a Cell Surface Antigen Co-Downregulated with the Receptor of Tumor Necrosis Factor", <i>J. Exp. Med.</i> , 169(5):1747-1756 (May 1, 1989).
		Zheng, L. et al., "Induction of Apoptosis in Mature T Cells by Tumour Necrosis Factor", <i>Nature</i> , 377(6547):348-351 (September 28, 1995).

EXAMINER	DATE CONSIDERED
	6/5/00
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.	